

List of European Dermestidae

<u>Subfamily</u>	<u>Genus</u>	<u>Subgenus</u>	<u>Species</u>	<u>Subspecies</u>	<u>Author</u>	
Dermestinae	Dermestes	Dermestinus	aurichalceus		Küster, 1846	
			carnivorus		Fabricius, 1775	
			coronatus		Steven, 1808	
			dimidiatus		Steven, 1808	
			erichsoni		Ganglbauer, 1904	
			frischii		Kugelann, 1792	
			gyllenhali		Castelnau, 1840	
				gyllenhali	Castelnau, 1840	
				helmi	Reitter, 1889	
				hankae	Háva, 1999	
				intermedius	Kalík, 1951	
					intermedius	Kalík, 1951
				kaszabi	Kalík, 1950	
				laniarius	Illiger, 1801	
					laniarius	Illiger, 1801
				leopardinus	Mulsant et Godart, 1855	
				maculatus	Degeer, 1774	
			murinus	Linnaeus, 1758		
				murinus	Linnaeus, 1758	
			mustelinus	Erichson, 1848		
			pardalis	Billberg, 1808		
			sardous	Küster, 1846		
				sardous	Küster, 1846	
			sibiricus	Erichson, 1848		
			szekessyi	Kalík, 1950		
			undulatus	Brahm, 1791		
		Dermestes	ater	Degeer, 1774		
			bicolor	Fabricius, 1781		
				bicolor	Fabricius, 1781	
			haemorrhoidalis	Küster, 1852		
			hispanicus	Kalík, 1952		
			lardarius	Linnaeus, 1758		
			leechi	Kalík, 1952		
palmi	Sjöberg, 1950					
peruvianus	Castelnau, 1840					
vorax	Motschulsky, 1860					
Montandonia	fuliginosus	Rossi, 1792				
	hirticollis	Fabricius, 1792				
	latissimus	Bielz, 1850				
	olivieri	Lepesme, 1939				

Thorictodes		dartevellei	John, 1961
		heydeni	Reitter, 1875
Thorictus		baudii	Reitter, 1881
	baudii		Reitter, 1881
	bonnairei		Wasmann, 1894
		bonnairei	Wasmann, 1894
		nigroides	Wasmann, 1925
	canariensis		Wollaston, 1862
	castaneus		Germar, 1834
		leonhardi	Reitter, 1913
	cobosi		John et Andreae, 1967
	consimilis		John, 1965
	deviedmai		John, 1965
	dimidiatus		Peyron, 1857
	ehlersii		Perez Arcas, 1872
		ehlersii	Perez Arcas, 1872
	escalerae		John, 1965
	escorialanus		John, 1965
	franzi		John, 1967
	gigas		Wollaston, 1862
	grandicollis		Germar, 1842
		grandicollis	Germar, 1842
		hungaricus	Weise, 1875
		westwoodi	Wollaston, 1854
	hoppi		John, 1971
	incultus		John, 1971
	indicus		John, 1963
	lederi		Reitter, 1881
	lindbergi		John, 1963
	martinsi		Wasmann, 1925
	mauritanicus		Lucas, 1846
	obenbergeri		John, 1965
	orientalis		Peyron, 1857
	paganettii		Obenberger, 1917
	palmi		John, 1964
	parnassus		John, 1971
	pilosus		Peyron, 1857
	politus		Wasmann, 1895
	rotundithorax		Escalera, 1942
	sicilianus		John, 1965
	stricticollis		Kraatz, 1859
		stricticollis	Kraatz, 1859
	studti		John, 1971
	subpusillus		John, 1965
	sulcicollis		Perez Arcas, 1868
	tamadabanus		John, 1964

		tejedanus		John et Andreae, 1967
		tenerifanus		John, 1965
		tuberosus		Reitter, 1881
		vestitus		Wollaston, 1864
		vonortzeni		John, 1971
		wollastoni		John, 1963
		helleri		John, 1963
Orphilinae	Orphilus	beali		Zhantiev, 2001
		niger		(Rossi, 1790)
Megatominae	Attagenus	abbreviatus		Heer, 1856
		antennatus		Castelnau, 1840
		anthrenoides		(Wollaston, 1864)
		aurantiacus		Reitter, 1900
		bifasciatus		(Olivier, 1790)
			decoloratus	Mulsant et Rey, 1868
			incertus	Mulsant et Rey, 1868
		brunnescens		(Pic, 1904)
		brunneus		Faldermann, 1835
		calabricus		Reitter, 1881
		civetta		(Mulsant et Rey, 1868)
		cyphonoides		Reitter, 1881
		dispar		(Redtenbacher, 1843)
		diversepubescens		Pic, 1936
		fallax		Gené, 1839
		fasciatus		(Thunberg, 1795)
		hirtulus		Rosenhauer, 1856
		lobatus		Rosenhauer, 1856
		maritimus		Géne, 1839
		multifasciatus		(Wollaston, 1863)
		obtusus		(Gyllenhal, 1808)
		pantherinus		(Ahrens, 1814)
		pellio		(Linnaeus, 1758)
		posticalis		Fairmaire, 1879
		quadricolor		(Sumakov, 1907)
		quadrimaculatus		Kraatz, 1858
		quadritinctus		Reitter, 1889
		rossii		Ganglbauer, 1904
		schaefferi		(Herbst, 1792)
			schaefferi	(Herbst, 1792)
		silvaticus		Zhantiev, 1976
		simplex		Reitter, 1881
		smirnovi		Zhantiev, 1973
		trifasciatus		(Fabricius, 1787)
		unicolor		(Brahm, 1791)
			unicolor	(Brahm, 1791)
			japonicus	Reitter, 1877

		uniformis		(Fairmaire, 1860)
		wollastoni		Mroczkowski, 1964
		woodroffei		Halstead et Green, 1979
		incognitus		Háva, 2003
		jelineki		Háva, 2004
		persicus		Reitter, 1881
		maculatus		Kalík, 2006
		pfefferi		Háva (in press)
		tigrinus		(Fabricius, 1792)
		doricus		Zhantiev, 2007
		kephallenicus		Háva et Kalík, 2006
		erevanicus		Zhantiev, 1963
Thylodrias		contractus		Motschulsky, 1839
Anthrenus	Anthrenodes	minor		Wollaston, 1865
	Anthrenodes	sarnicus		Mroczkowski, 1963
		bellulus		Chobaut, 1897
			ornatus	Kocher, 1955
		coloratus		Reitter, 1881
		nahiricus		Zhantiev, 1976
		zebra		Reitter, 1889
	Anthrenus	angustefasciatus		Ganglbauer, 1904
		crustaceus		Reitter, 1881
		delicatus		Kiesenwetter, 1851
			delicatus	Kiesenwetter, 1851
			armstrongi	Mroczkowski, 1952
		festivus		Erichson, 1848
		flavidulus		Reitter, 1889
		flavipes		LeConte, 1854
			flavipes	LeConte, 1854
		goliath		Mulsant et Rey, 1868
		miniatulus		Reitter, 1899
		miniopictus		Bedel, 1884
		munroi		Hinton, 1943
		oceanicus		Fauvel, 1903
		pfefferi		Kalík, 1954
		picturatus		Solskij, 1876
			makolskii	Mroczkowski, 1950
		pimpinellae		(Fabricius, 1775)
			pimpinellae	(Fabricius, 1775)
			incertus	Mulsant et Rey, 1868
			isabellinus	Küster, 1848
			mroczkowskii	Kalík, 1954
		scrophulariae		(Linnaeus, 1758)
			scrophulariae	(Linnaeus, 1758)
			albidus	Brullé, 1832
		x-signum		Reitter, 1881

	Florilinus	araxensis		Zhantiev, 1976
		caucasicus		Reitter, 1881
		flavidus		Solskij, 1876
		museorum		(Linnaeus, 1761)
		oberthueri		Reitter, 1881
		olgae		Kalík, 1946
		sordidulus		Reitter, 1889
		sveci		Háva, 2004
		kourili		Háva, 2006
	Helocerus	fuscus		Olivier, 1789
		minutus		Erichson, 1848
		polonicus		Mroczkowski, 1951
	Nathrenus	biskrensis		Reitter, 1887
		bulirschi		Háva, 2000
		molitor		Aubé, 1850
		signatus		Erichson, 1848
		verbasci		(Linnaeus, 1767)
		versicolor		Reitter, 1887
		zahradniki		Háva, 2003
	Ranthenus	prudeki		Háva, 2002
Anthrenocerus		australis		(Hope, 1843)
Ctesias	Ctesias	serra		(Fabricius, 1792)
	Decemctesias	bezdeki		Háva (in press)
		syriaca		Ganglbauer, 1904
Globicornis	Globicornis	alpina		Pic, 1912
		bifasciata		(Perris, 1866)
		breviclavis		(Reitter, 1878)
		fasciata		(Fairmaire, 1859)
		kafkai		Háva, 2001
		nigripes		(Fabricius, 1792)
		picta		(Küster, 1851)
		tristis		(Reitter, 1881)
		variegata		(Küster, 1851)
	Hadrotoma	antoniae		(Reitter, 1884)
		corticalis		(Eichhoff, 1863)
		depressa		(Mulsant et Rey, 1868)
		emarginata		(Gyllenhal, 1808)
		sulcata		(Brisout, 1866)
		semilimbata		(Pic, 1906)
	Pseudomesalia	bodemeyeri		(Ganglbauer, 1900)
		quadriguttatus		(Reitter, 1878)
Megatoma	Megatoma	pubescens		(Zetterstedt, 1828)
		ruficornis		Aubé, 1866
		undata		(Linnaeus, 1758)
			undata	(Linnaeus, 1758)
Orphinus	Orphinus	fulvipes		(Guérin-Ménéville, 1838)

Phradonoma	nobile	(Reitter, 1881)
	villosulum	(Duftschmid, 1825)
	alium	Háva, 2006
Reesa	vespulae	(Milliron, 1939)
Trogoderma	angustum	(Solier, 1849)
	anthrenoides	(Sharp, 1902)
	glabrum	(Herbst, 1783)
	granarium	Everts, 1898
	inclusum	LeConte, 1854
	megatomoides	Reitter, 1881
	sternale	Jayne, 1882
	variabile	Ballion, 1878
	versicolor	(Creutzer, 1799)
	canarica	Háva (in press)
Turcicornis	kopeckyi	Háva, 2000